BRAIN RESEARCH

VOL. 540 NOS. 1/2 **CONTENTS** **1 FEBRUARY 1991**

Announcement from the Publisher v

Research Reports

Quantitative autoradiography of the dopamine uptake complex in rat brain using [^{3}H]GBR 12935: binding characteristics
E.K. Richfield (U.S.A.) 1

Postnatal development of neuronal connections in cat visual cortex studied by intracellular recording in slice preparation
Y. Komatsu and M. Iwakari (Japan) 14

Regional effects of ceruletide, a cholecystokinin-8 analog, on the striata monoaminergic systems in food-deprived mice
T. Yamada and H. Kimura (Japan) 25

Focal application of alcohols elevates extracellular dopamine in rat brain: a microdialysis study
K.M. Wozniak, A. Pert, A. Mele and M. Linnoila (U.S.A.) 31

Regional sex differences in spine density along the apical shaft of visual cortex pyramids during postnatal development
J.A. Muñoz-Cueto, L.M. Garcia-Segura and A. Ruiz-Marcos (Spain) 41

GABA-related feeding control in genetically obese rats
S. Tsujii and G.A. Bray (U.S.A.) 48

Morphine and corticotrophin-releasing factor potentiate maternal acceptance in multiparous ewes after vaginocervical stimulation
E.B. Keverne and K.M. Kendrick (U.K.) 55

Region-specific stability of dendritic extent in normal human aging and regression in Alzheimer's disease. I. CA1 of hippocampus
S.D. Hanks and D.G. Flood (U.S.A.) 63

Region-specific stability of dendritic extent in normal human aging and regression in Alzheimer's disease. II. Subiculum
D.G. Flood (U.S.A.) 83

The role of cyclic AMP in chemoreception in the rabbit carotid body
W.-J. Wang, G.-F. Cheng, K. Yoshizaki, B. Dinger and S. Fidone (U.S.A.) 96

Projections of neurons in the ventromedial medulla to pontine catecholamine cell groups involved in the modulation of nociception
F.M. Clark and H.K. Proudfit (U.S.A.) 105

Time course of changes in lipid peroxidation, pre- and postsynaptic cholinergic indices, NMDA receptor binding and neuronal death in the gerbil hippocampus following transient ischemia
K. Haba, N. Ogawa, K. Mizukawa and A. Mori (Japan) 116

Paramyxovirus infections alter certain functional properties in cultured sensory neurons
J. Maehlen, P. Wallén, A. Löve, E. Norrby and K. Kristensson (Sweden) 123

Visually induced signal-locked neuronal activity changes in precentral motor areas of the monkey: hierarchial progression of signal processing
A. Riehle (France) 131

N-Acetyltransferase and protein synthesis modulate melatonin production by Y79 human retinablastoma cells
J.L. Janavs, M.E. Pierce and J.S. Takahashi (U.S.A.) 138

Downregulation of muscarinic receptors in the rat caudate-putamen after lesioning of the ipsilateral nigrostriatal dopamine pathway with 6-hydroxydopamine (6-OHDA): normalization by fetal mesencephalic transplants
T.M. Dawson, V.L. Dawson, F.H. Gage, L.J. Fisher, M.A. Hunt and J.K. Wamsley (U.S.A.) 145

Magnetic fields associated with spreading depression in anaesthetised rabbits
A.R. Gardner-Medwin, N. Tepley, G.L. Barkley, J. Moran, S. Nagel-Leiby, R.T. Simkins and K.M.A. Welch (U.S.A., U.K.) 153

Lasting increase in D_1 dopamine receptors in the lateral part of the substantia nigra pars reticulata after subchronic metamphetamine administration
H. Ujike, K. Akiyama, H. Nishikawa, T. Onoue and S. Otsuki (Japan) 159

Expression of a marrow stroma and thymus-associated antigen ST3) in the rat brain: comparison with Thy-1
E. Sharma, A. Beaudet, L.L. Bambrick and A.K. Sullivan (Canada) 164

Microinjection of the dopamine antagonist cis-flupenthixol into the MPOA impairs copulation, penile reflexes and sexual motivation in male rats
R.K. Warner, J.T. Thompson, V.P. Markowski, J.A. Loucks, T.J. Bazzett, R.C. Eaton and E.M. Hull (U.S.A.) 177

Axonal growth and glial migration from co-cultured hippocampal and septal slices into fibrin-fibronectin-containing matrix of peripheral chambers: a light and electron microscope study
B. Knoops, I. Huber, J.-J. Hauw and P. van den Bosch de Aguillar (Belgium, France) 183

Functional recovery and collateral neuronal sprouting examined in young and aged rats following a partial neural lesion
G.A. Kuchel and R.E. Zigmond (U.S.A.) 195

Electron microscopic localization of cholinesterase activity in Alzheimer brain tissue
K.A. Carson, C. Geula and M.-M. Mesulam (U.S.A.) 204

Microtubules have special physical associations with smooth endoplasmic reticula and mitochondria in axons
R.L. Price, R.J. Lasek and M.J. Katz (U.S.A.) 209

Action site of circulating interleukin-1 on the rabbit brain
M. Hashimoto, Y. Ishikawa, S. Yokota, F. Goto, T. Bando, Y. Sakakibara and M. Iriki (Japan) 217

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

BRAIN RESEARCH

VOL. 540 NOS. 1/2 **CONTENTS** **1 FEBRUARY 1991**

Announcement from the Publisher v

Research Reports

Quantitative autoradiography of the dopamine uptake complex in rat brain using [^{3}H]GBR 12935: binding characteristics
E.K. Richfield (U.S.A.) 1

Postnatal development of neuronal connections in cat visual cortex studied by intracellular recording in slice preparation
Y. Komatsu and M. Iwakari (Japan) 14

Regional effects of ceruletide, a cholecystokinin-8 analog, on the striata monoaminergic systems in food-deprived mice
T. Yamada and H. Kimura (Japan) 25

Focal application of alcohols elevates extracellular dopamine in rat brain: a microdialysis study
K.M. Wozniak, A. Pert, A. Mele and M. Linnoila (U.S.A.) 31

Regional sex differences in spine density along the apical shaft of visual cortex pyramids during postnatal development
J.A. Muñoz-Cueto, L.M. Garcia-Segura and A. Ruiz-Marcos (Spain) 41

GABA-related feeding control in genetically obese rats
S. Tsujii and G.A. Bray (U.S.A.) 48

Morphine and corticotrophin-releasing factor potentiate maternal acceptance in multiparous ewes after vaginocervical stimulation
E.B. Keverne and K.M. Kendrick (U.K.) 55

Region-specific stability of dendritic extent in normal human aging and regression in Alzheimer's disease. I. CA1 of hippocampus
S.D. Hanks and D.G. Flood (U.S.A.) 63

Region-specific stability of dendritic extent in normal human aging and regression in Alzheimer's disease. II. Subiculum
D.G. Flood (U.S.A.) 83

The role of cyclic AMP in chemoreception in the rabbit carotid body
W.-J. Wang, G.-F. Cheng, K. Yoshizaki, B. Dinger and S. Fidone (U.S.A.) 96

Projections of neurons in the ventromedial medulla to pontine catecholamine cell groups involved in the modulation of nociception
F.M. Clark and H.K. Proudfit (U.S.A.) 105

Time course of changes in lipid peroxidation, pre- and postsynaptic cholinergic indices, NMDA receptor binding and neuronal death in the gerbil hippocampus following transient ischemia
K. Haba, N. Ogawa, K. Mizukawa and A. Mori (Japan) 116

Paramyxovirus infections alter certain functional properties in cultured sensory neurons
J. Maehlen, P. Wallén, A. Löve, E. Norrby and K. Kristensson (Sweden) 123

Visually induced signal-locked neuronal activity changes in precentral motor areas of the monkey: hierarchial progression of signal processing
A. Riehle (France) 131

N-Acetyltransferase and protein synthesis modulate melatonin production by Y79 human retinablastoma cells
J.L. Janavs, M.E. Pierce and J.S. Takahashi (U.S.A.) 138

Downregulation of muscarinic receptors in the rat caudate-putamen after lesioning of the ipsilateral nigrostriatal dopamine pathway with 6-hydroxydopamine (6-OHDA): normalization by fetal mesencephalic transplants
T.M. Dawson, V.L. Dawson, F.H. Gage, L.J. Fisher, M.A. Hunt and J.K. Wamsley (U.S.A.) 145

Magnetic fields associated with spreading depression in anaesthetised rabbits
A.R. Gardner-Medwin, N. Tepley, G.L. Barkley, J. Moran, S. Nagel-Leiby, R.T. Simkins and K.M.A. Welch (U.S.A., U.K.) 153

Lasting increase in D_1 dopamine receptors in the lateral part of the substantia nigra pars reticulata after subchronic metamphetamine administration
H. Ujike, K. Akiyama, H. Nishikawa, T. Onoue and S. Otsuki (Japan) 159

Expression of a marrow stroma and thymus-associated antigen ST3) in the rat brain: comparison with Thy-1
E. Sharma, A. Beaudet, L.L. Bambrick and A.K. Sullivan (Canada) 164

Microinjection of the dopamine antagonist cis-flupenthixol into the MPOA impairs copulation, penile reflexes and sexual motivation in male rats
R.K. Warner, J.T. Thompson, V.P. Markowski, J.A. Loucks, T.J. Bazzett, R.C. Eaton and E.M. Hull (U.S.A.) 177

Axonal growth and glial migration from co-cultured hippocampal and septal slices into fibrin-fibronectin-containing matrix of peripheral chambers: a light and electron microscope study
B. Knoops, I. Huber, J.-J. Hauw and P. van den Bosch de Aguillar (Belgium, France) 183

Functional recovery and collateral neuronal sprouting examined in young and aged rats following a partial neural lesion
G.A. Kuchel and R.E. Zigmond (U.S.A.) 195

Electron microscopic localization of cholinesterase activity in Alzheimer brain tissue
K.A. Carson, C. Geula and M.-M. Mesulam (U.S.A.) 204

Microtubules have special physical associations with smooth endoplasmic reticula and mitochondria in axons
R.L. Price, R.J. Lasek and M.J. Katz (U.S.A.) 209

Action site of circulating interleukin-1 on the rabbit brain
M. Hashimoto, Y. Ishikawa, S. Yokota, F. Goto, T. Bando, Y. Sakakibara and M. Iriki (Japan) 217

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued)

Profiles of percent reduction of cytochromes in guinea pig hippocampal brain slices in vitro
T. Fujii (Japan) 224
Reduced basal and stimulated (isoprenaline, Gpp(NH)p, forskolin) adenylate cyclase activity in Alzheimer's disease correlated with histopathological changes
T.G. Ohm, J. Bohl and B. Lemmer (Germany) 229
The amnesic substance 2-deoxy-D-galactose suppresses the maintenance of hippocampal LTP
M. Krug, R. Jork, K. Reymann, M. Wagner and H. Matthies (Germany) 237
Alterations in neurotransmitter receptors and glucose use after unilateral orbital enucleation
D.T. Chalmers and J. McCulloch (U.K.) 243
Selective alterations in glutamate receptor subtypes after unilateral orbital enucleation
D.T. Chalmers and J. McCulloch (U.K.) 255
Reticular formation activity during wakefulness and sleep in a hibernator (*Spermophilus lateralis*)
B.L. Krilowicz, D.M. Edgar and H.C. Heller (U.S.A.) 266

Short Communications

Plasticity of GFAP-immunoreactive astrocyte size and number in visual cortex of rats reared in complex environments
A.M. Sirevaag and W.T. Greenough (U.S.A.) 273
Possible morphological correlates of capsaicin desensitization
E. Király, G. Jancsó and M. Hajós (Hungary) 279
On the relation between cerebral cysteinyl-leukotriene formation and epileptic seizures
T. Simmet and B. Tippler (Germany) 283
Nicotine exerts differential effects on different CA1 hippocampal cell types
L.J. Reece and P.A. Schwartzkroin (U.S.A.) 287
An α_2 antagonist, idazoxan, enhances EPSP-spike coupling in the rat dentate gyrus
G. Richter-Levin, M. Segal and S. Sara (France) 291
A new encephalomagnetic effect in human brain generated by static magnetic fields
L. von Klitzing (Germany) 295
Turtle cortical neurons survive glutamate exposures that are lethal to mammalian neurons
A.M. Wilson and A.R. Kriegstein (U.S.A.) 297
Cholecystokinin and its antagonist lorglumide respectively attenuate and facilitate morphine-induced inhibition of C-fiber evoked discharges of dorsal horn nociceptive neurons
D.E. Kellstein, D.D. Price and D.J. Mayer (U.S.A.) 302
Characterization of the depression of rat cerebral cortical neurons by selective adenosine agonists
Y. Lin and J.W. Phillis (U.S.A.) 307
Haloperidol rapidly increases the number of neurotensin mRNA-expressing neurons in neostriatum of the rat brain
K.M. Merchant, M.A. Miller, E.A. Ashleigh and D.M. Dorsal (U.S.A.) 311
Extracellular concentrations of amino acid transmitters in ventral hippocampus during and after the development of kindling
W.Q. Zhang, P.M. Hudson, T.J. Sobotka, J.S. Hong and H.A. Tilson (U.S.A.) 315
A VIP antagonist distinguishes VIP receptors on spinal cord cells and lymphocytes
Y. Gozes, D.E. Brenneman, M. Fridkin, R. Asofsky and I. Gozes (U.S.A.) 319
Calcimycin potentiates responses of rat hippocampal neurons to *N*-methyl-D-aspartate
H. Markram and M. Segal (Israel) 322
Persistent blockade of potassium-evoked serotonin release from rat frontocortical terminals after fluoxetine administration
A.M. Gardier and R.J. Wurtman (U.S.A.) 325
Characteristics of [^{3}H]ryanodine binding to the rabbit cerebral microsomes
T. Kawai, T. Ishii, Y. Imaizumi and M. Watanabe (Japan) 331
Neurobiochemical evidence for calcium-induced depolarization of EGTA-pretreated hippocampal synaptosomes
T.W. Vickroy (U.S.A.) 335
Specific hippocampal lesions indicate the presence of sulfonylurea binding sites associated to ATP-sensitive K^+ channels both post-synaptically and on mossy fibers
C. Mourre, C. Widmann and M. Lazdunski (France) 340
ON and OFF components of the receptive fields have different latencies to diffuse flashes of light in the superior colliculus of golden hamsters
H. Sasaki, Y. Fukuda and Y. Hayashi (Japan) 345
Membrane properties of rat magnocellular neuroendocrine cells in vivo
C.W. Bourque and L.P. Renaud (Canada) 349
Cerebral cortex and lung indoleamine-2,3-dioxygenase activity is increased in type-D retrovirus infected macaques
K. Saito, A. Lackner, S.P. Markey and M.P. Heyes (U.S.A.) 353

Author Index 357